

# KRX MELBOURNE



## KRX Melbourne Commercial & Home furniture

Workstations -	Page 4
Booths -	Page 80
Acoustic Solutions -	Page 93
Learning Spaces -	Page 115





# KRX MELBOURNE

Commercial  
Furniture Specialists  
for Hospitality

## Get in touch.

☎ 03 6339 2373

✉ Sales@krxmelbourne.com

🌐 www.krxmelbourne.com



## Who We Are

At KRX Melbourne, we are more than just furniture suppliers. We are workspace solutionists. Rooted in design excellence and sustainability, our brand delivers functional, modern, and locally supported furniture that transforms everyday offices, co-working spaces, and commercial environments into inspiring places to think, work, and grow.

With a focus on aesthetic innovation, durability, and affordable customisation, we help businesses reflect their brand culture through well-designed interiors.



## What We Do

We design and supply commercial-grade furniture tailored for all types of work environments, including:

- 🖥 Corporate Offices

Desks, ergonomic chairs, workstations, and executive suites with built-in cable management and modular flexibility.

- 🧑 Coworking Spaces

Multi-use setups that promote collaboration from hot-desking zones to casual breakout furniture.

- 🏢 Real Estate & Display Suites

Smart, styled pieces that help present modern lifestyle and professional functionality in leasing or sales environments.

- 🪴 Reception & Lounge Areas

Comfortable, statement pieces that balance function and first impressions.

- 📦 Furniture Rental & Fit-Outs

Short-term and long-term rental solutions for projects, pop-ups, and staging needs all delivered with white-glove service and installation.

### WHY CHOOSE US?



45 Days Delivery



Free 3D design  
and CAD service



10 years warranty



One-stop FF&E  
supply chain





# Why Choose KRX Melbourne



## Commercial-Grade Quality

Our products are designed for everyday use in busy venues. Durable, stylish, and built to last indoors or out.

## Customisation Without Compromise

We work closely with you to tailor every piece from finishes and fabrics to sizing and layout ensuring your furniture fits your space and story perfectly.

## Trusted by

Leading property developers, coworking brands, and design professionals across Australia.

## Direct Factory-to-Client Pricing

Our streamlined supply chain eliminates the middleman. Enjoy direct wholesale pricing from our factory partners, saving significantly on every project without compromising on quality.

## Sustainability-First Designs

We create spaces that are as good for the planet as they are for people. Our materials and practices are carefully selected to reduce environmental impact while maintaining luxury and durability.

## Rapid Turnaround, Zero Compromise

We understand the importance of timelines in hospitality. Our streamlined processes ensure everything is delivered on time, without cutting corners.

## Let's Connect

We'd love to explore how we can support your current or future projects.

📞 03 6339 2373

✉️ [Sales@krxm Melbourne.com.au](mailto:Sales@krxm Melbourne.com.au)

🌐 [www.krxmelbourne.com.au](http://www.krxmelbourne.com.au)





IC-55



















IC-60




















IC-76





















# IC-5050





















IC-6015

















# IC-6030











SQLPro Photo - localhost:5432

Connect New Query

Localhost - localhost:5432

SELECT \* FROM users

SELECT \* FROM users WHERE address\_id = 12

SELECT \* FROM users

Run all

Users

id	name	email	password	address_id
1	John	john.doe@company.com	123456	1
2	Jane	jane.doe@company.com	654321	1
3	Bob	bob.doe@company.com	987654	1
4	Alice	alice.doe@company.com	432109	1
5	Charlie	charlie.doe@company.com	876543	1
6	Diana	diana.doe@company.com	210987	1
7	Eve	eve.doe@company.com	543210	1
8	Frank	frank.doe@company.com	098765	1
9	Grace	grace.doe@company.com	321098	1
10	Heidi	heidi.doe@company.com	654321	1
11	Ivan	ivan.doe@company.com	987654	1
12	Judy	judy.doe@company.com	210987	1
13	Karl	karl.doe@company.com	543210	1
14	Larry	larry.doe@company.com	876543	1
15	Mary	mary.doe@company.com	109876	1
16	Nancy	nancy.doe@company.com	432109	1
17	Oscar	oscar.doe@company.com	765432	1
18	Peter	peter.doe@company.com	098765	1
19	Quinn	quinn.doe@company.com	321098	1
20	Rachel	rachel.doe@company.com	654321	1
21	Samuel	samuel.doe@company.com	987654	1
22	Tina	tina.doe@company.com	210987	1
23	Victor	victor.doe@company.com	543210	1
24	Wendy	wendy.doe@company.com	876543	1
25	Xavier	xavier.doe@company.com	109876	1
26	Yvonne	yvonne.doe@company.com	432109	1
27	Zoe	zoe.doe@company.com	765432	1

Parameters: 3 queries, 100 records, 5.242 seconds

LOGOUT













# IC-6040

















# IC-KT

## Lorem Ipsum

Morbi adipiscing magna in  
volutpat tempus. Aenean  
ultricies velit. Aliquam  
quam libero eu quam. Praesent  
blandit, tunc ac semper  
bibendum, eum ligula laoreet,  
quam, praesent tristique a lacus  
a gravida.

Praesent blandit mattis eros, ac  
ultricies augue vulputate sit amet.  
Nullam nunc lectus lorem, ac  
molestie est. Morbi varius id velit,  
pereneque posuere in vitae eros.  
Nunc blandit blandit enim, ac  
ultricies velit.















WE ARE ALL  
MADE OF  
STARS

DO  
MORE  
OF  
WHAT  
MAKES  
YOU  
HAPPY















IC-5515





















IC-8038





























IC-4525





























IC-4525B























SQLPro Studio - localhost:5432

localhost - booktown

SELECT \* FROM actor;  
SELECT \* FROM address WHERE address\_id = 1;  
SELECT \* FROM city;

actor_id	first_name	last_name	last_update
1	NICK	GUINNESS	2006-02-15 04:34:33
2	NICK	WAPLEBERG	2006-02-15 04:34:33
3	ED	CHASE	2006-02-15 04:34:33
4	JENNIFER	DAVIS	2006-02-15 04:34:33
5	JOHN	LOLLIBRIGIDA	2006-02-15 04:34:33
6	BETTE	NICHOLSON	2006-02-15 04:34:33
7	GRACE	MOSTEL	2006-02-15 04:34:33

address_id	address	district	city_id	postal_code	phone	last_update
1	47 MySaskia Drive	NULL	300	NULL		2006-02-15 04:45:30

city_id	city	country_id	last_update
1	A Corua (La Corua)	87	2006-02-15 04:45:25
2	Abua	82	2006-02-15 04:45:25
3	Abu Dhabi	101	2006-02-15 04:45:25
4	Adua	60	2006-02-15 04:45:25
5	Adana	87	2006-02-15 04:45:25

Finished 3 queries with 801 records, 0.242 seconds.


LOEWE







IC-GJZ



































PRODUCT MAP


A




A-RIST-D-01  
1400\*700\*750  
1500\*700\*750



A-RIST-D-02  
2800\*700\*750  
3000\*700\*750




A-RIST-D-03  
4200\*700\*750  
4500\*700\*750




A-RIST-D-04  
5600\*700\*750  
6000\*700\*750




A-RIST-S-01  
1400\*1400\*750  
1500\*1400\*750



A-RIST-S-02  
2800\*1400\*750  
3000\*1400\*750



A-RIST-S-03  
4200\*1400\*750  
4500\*1400\*750




A-RIST-S-04  
5600\*1400\*750  
6000\*1400\*750

B




B-RIST-D-01  
1400\*700\*750  
1500\*700\*750



B-RIST-D-02  
2800\*700\*750  
3000\*700\*750




B-RIST-D-03  
4200\*700\*750  
4500\*700\*750




B-RIST-D-04  
5600\*700\*750  
6000\*700\*750




B-RIST-S-01  
1400\*1400\*750  
1500\*1400\*750



B-RIST-S-02  
2800\*1400\*750  
3000\*1400\*750




B-RIST-S-03  
4200\*1400\*750  
4500\*1400\*750




B-RIST-S-04  
5600\*1400\*750  
6000\*1400\*750


C




C-RIST-01  
1400\*1200\*750  
1500\*1200\*750




C-RIST-02  
2800\*1200\*750  
3000\*1200\*750




C-RIST-03  
4200\*1200\*750  
4500\*1200\*750




C-RIST-04  
2800\*1200\*750  
3000\*1200\*750




C-RIST-05  
1400\*3000\*750  
1500\*3000\*750




C-RIST-06  
2800\*3000\*750  
3000\*3000\*750



C-RIST-07  
4200\*3000\*750  
4500\*3000\*750



C-RIST-08  
5600\*3000\*750  
6000\*3000\*750



C-RIST-09  
2800\*3000\*750  
3000\*3000\*750


D



D-RIST-01  
1800\*1500\*750/1500  
1900\*1500\*750/1500




D-RIST-02  
1800\*3000\*750/1500  
1900\*3000\*750/1500




D-RIST-03  
3280\*3000\*750/1500  
3480\*3000\*750/1500




D-RIST-04  
1800\*3000\*750/1500  
1900\*3000\*750/1500



D-RIST-05  
3600\*3000\*750/1500  
3800\*3000\*750/1500




D-RIST-06  
3280\*3000\*750/1500  
3480\*3000\*750/1500




D-RIST-07  
3280\*4500\*750/1500  
3480\*4500\*750/1500



班台 Executive Desk



RIED-01  
(2000-2400)\*(1800-2000)\*750




RIED-02  
(1800-2000)\*1800\*750




RIED-03  
(1600-2000)\*(800-900)\*750


会议桌 Conference table



RICT-01  
1800\*1200\*750  
2000\*1200\*750  
2400\*1200\*750



RICT-02  
2800\*1200\*750  
3000\*1200\*750  
3600\*1200\*750



RICT-03  
3600\*1500\*750  
4200\*1500\*750  
4800\*1500\*750

茶几 Tea Table



RITT-01  
1200\*600\*450



RITT-02  
600\*600\*450





NEW BOX





Concealed Hinges

## Aesthetics and Practicality

No extra hinges for a seamless look; concealed construction enhances security and durability, perfect for phone booth spaces.



Magnetic Latch

## Safe and Silent

Magnetic latch, easier to open and close; hidden design, simple and durable; solid and reliable, safe and worry-free.



Motion Sensor

## Eco-Smart

To improve energy efficiency and environmental performance, our sensors fully activate the lighting and ventilation systems only when you enter.



Occupancy light

## light reminder


Stepping into the pod, occupancy lights will display light to let the office know the pod is in use; White monochrome or red and green dual color conversion.



Integrated control panel

## Module customization

Modules support customization with adjustable lights and fans. Paired with sensors, they balance efficiency and comfort perfectly.



### 01 + 02

fresh air + lighting strength contro

### 03

A-HDMI-Resolution ratio

Support 720P, 1080P

B-Internet Outlet-Model

RJ45 Standard: 23AWG, Cat-6 Transmissionrate: 1000Mbps

C-Telephone Outlet-Mode

RJ 11 CAT3 Plugging times >750times1080P

### 04

Optional Socket Panel

Default universal socket

China standard, British standard, Japanese standard,

American standard, Australian standard,

South Africa standard

### 05

USB + Type C

Maximum output: 45w



# PHONE



## Where Privacy Fuels Productivity

Designed for privacy in open offices, our Phone Pods offer instant soundproof spaces for calls and focused work.

No more hunting for empty rooms or awkward hallway chats—reclaim productivity while keeping your team calm and connected. Customizable layouts fit seamlessly into any workspace.

## Exteriors Size

W950 x D950 x H2300MM  
W37.4" x D37.4" x H90.5"



## Fire Safety

This product conforms to all flammability requirements listed in UL962



We proudly to have the major components to be international standard qualified.





## Technical Bank

### Dimensions

Exteriors Size: W950 x D950 x H2300mm

Interiors Size: W820 x D820 x H2070mm

Pack Size: W2300 x D800 x H1200mm / 2.8m<sup>3</sup>

### Weight

NET Weight: 337kg / Pack Weight: 420kg

### Glass Rear

11mm laminated glass

### Glass-Door

11mm laminated glass with hidden frame door

### Ventilation

88m<sup>3</sup> / h (A ventilation time of 57s)

### Wall Filler

Side A / C: Steel panel with inner PET board; Side B: 11mm laminated glass

### Hinges

Concealed top and bottom pivot hinges / Honeywell door closer, Aluminium Alloy

### Lighting

8W strip light at 2 sides; 1\*8W strip light in the middle of ceiling

### Control

Motion sensor and switch control for ventilation and light

Default 5min delay auto ON / OFF, Central control

Panel system (fresh air+lighting strength control, 1 strong electric socket

### Floor

Steel support with leveling and removable structure

## Options



### Seating

W420 x H650-770MM;  
Molded foam cushion;  
Regular black metal support;  
Lifted function (rotatable);




### Work bench

W600 x D220-300 x H1050MM;  
White 25MM dusted MDF plate;  
Embedded Fixed;

## Soundinsulation Test

Frequency (Hz)	Speech level reduction D (dB)
125	15.7
250	19.1
500	27.6
1000	33.4
2000	38.2
4000	42.2
8000	43.9
Ds,a	26.9

Figure 1. Speech level reduction D against 1/1 Oct Frequency



f 1/1-Octave frequency band, in Hz D level reduction, in dB

Ds,a speech level reduction, in dB



# SOLO



## A Single Space Designed For Deep Concentration

Constant noise and inadequate meeting spaces can lead to decreased productivity, creativity and job satisfaction, as well as increased stress levels.

Here you won't be disturbed or distracted by outside noise; seamlessly switch your experience from video conferencing to working independently, and still enjoy first-class design.

## Exteriors Size

W1050 x D1200 x H2300MM  
W41.3" x D47.2" x H90.5"



## Fire Safety

This product conforms to all flammability requirements listed in UL962



We proudly to have the major components to be international standard qualified.





## Technical Bank

### Dimensions

Exteriors Size: W1050 x D1200 x H2300mm

Interiors Size: W920 x D1070 x H2070mm

Pack Size: W2300 x D840 x H1400mm /  
2.8m<sup>3</sup>

### Weight

NET Weight: 420kg / Pack Weight: 510kg

### Glass Rear

11mm laminated glass

### Glass-Door

11mm laminated glass with hidden frame door

### Ventilation

100m<sup>3</sup> / h (A ventilation time of 71s)

### Wall Filler

Side A / C: Steel panel with inner PET board; Side B: 11mm laminated glass

### Hinges

Concealed top and bottom pivot hinges / Honeywell door closer, Aluminium Alloy

### Lighting

12W strip light at 2 sides; 1\*12W strip light in the middle of ceiling

### Control

Motion sensor and switch control for ventilation and light

Default 5min delay auto ON / OFF, Central control

Panel system (fresh air+lighting strength control, 1 strong electric socket

### Floor

Steel support with leveling and removable structure

## Options



### Seating & Footrest

Seating: W410 x D440 x H390-760MM;  
Footrest: W280 x D150 x H252MM;  
Metal frame + one - time molding foam cotton,  
Regular black metal support, Lifted function,  
Full metal footrest.




### Work bench

W700 x D380 x H750-1100MM;  
Steel metal lifting frame;  
Overall lifting / lowering, Triggering function when  
encountering obstacles of 20KG, With height data  
displayed on the lifting controller.

## Soundinsulation Test

Frequency (Hz)	Speech level reduction D (dB)
125	15.7
250	19.1
500	27.6
1000	33.4
2000	38.2
4000	42.2
8000	43.9
Ds,a	26.9

Figure 1. Speech level reduction D against 1/1 Oct Frequency



f 1/1-Octave frequency band, in Hz D level reduction, in dB  
Ds,a speech level reduction, in dB



# RELAX



## Where Comfort Meets Uninterrupted Flow

An efficient and quiet cabin in an open office environment. Users are free to configure office modules, from elevated desks to ergonomic chairs, from smart cable management to storage space, with health and efficiency at the core. Seamless and efficient office work is easily achieved, creating a neat and organized work environment and granting the freedom to work at will. Whether it's a private call, a focused task or a virtual meeting, every moment is optimized for you.

## Exteriors Size

W1575 x D1200 x H2300MM  
W62.0" x D47.2" x H90.5"


## Fire Safety

This product conforms to all flammability requirements listed in UL962



We proudly to have the major components to be international standard qualified.





## Technical Bank

### Dimensions

Exteriors Size: W1575 x D1200 x H2300mm

Interiors Size: W1445 x D1070 x H2070mm

Pack Size: W2300 x D840 x H1400mm / 2.8m<sup>3</sup>

### Weight

NET Weight: 517kg / Pack Weight: 615kg

### Glass Rear

11mm tempered glass / clear

### Glass-Door

11mm laminated glass with hidden frame door

### Ventilation

180m<sup>3</sup> / h (A ventilation time of 65s)

### Wall Filler

Side A / C: Steel panel with inner PET board; Side B: 11mm laminated glass

### Hinges

Concealed top and bottom pivot hinges / Honeywell door closer, Aluminium Alloy

### Lighting

12W strip light at 2 sides; 1\*12W strip light in the middle of ceiling

### Control

Motion sensor and switch control for ventilation and light

Default 5min delay auto ON / OFF, Central control

Panel system (fresh air+lighting strength control, 1 strong electric socket)

### Floor

Steel support with leveling and removable structure

## Options



### Elevating desk

W1068 x D600 x H750-1100mm;  
White 25MM dusted MDF plate;  
Can be flexible enough to suit the pod by tailor made size good wire management and demanding power solutions.




### Amos-003B

W585 x D595 x H775;  
SH455 +10mm;  
Integral molding foam sponge;  
Sponge approve California FR;  
Solid metalleg(Black& White), With wheel.

## Soundinsulation Test

Frequency (Hz)	Speech level reduction D (dB)
125	15.9
250	23.7
500	25.7
1000	30.8
2000	35.5
4000	43.5
8000	47.3
Ds,a	26.7

Figure 1. Speech level reduction D against 1/1 Oct Frequency



f 1/1-Octave frequency band, in Hz D level reduction, in dB  
Ds,a speech level reduction, in dB



# TALK



## Redefining Agile Collaboration

A dynamic workspace for 1-4 people, adapting effortlessly to evolving needs. Integrate displays and customize layouts to switch between focused meetings, creative workshops, or private discussions. Hidden cable management maintains a clean aesthetic, while smart climate and lighting systems optimize comfort. Compact yet versatile, FlexPod Pro transforms limited space into a productivity powerhouse – where precision meets flexibility for every idea.

## Exteriors Size

W2200 x D1200 x H2300MM  
W88.6" x D47.2" x H90.5"


## Fire Safety

This product conforms to all flammability requirements listed in UL962



We proudly to have the major components to be international standard qualified.





## Technical Bank

### Dimensions

Exteriors Size: W2200 x D1200 x H2300mm

Interiors Size: W2070 x D1070 x H2070mm

Pack Size: W2300 x D840 x H1400mm / 2.8m<sup>3</sup>

### Weight

NET Weight: 630kg / Pack Weight: 780kg

### Glass Rear

10mm tempered glass / clear

### Glass-Door

11mm laminated glass with hidden frame door

### Ventilation

180m<sup>3</sup> / h (A ventilation time of 75s)

### Wall Filler

Side A / C: Steel panel with inner PET board; Side B: 11mm laminated glass

### Hinges

Concealed top and bottom pivot hinges / Honeywell door closer, Aluminium Alloy

### Lighting

12W strip light at 2 sides; 2\*12W strip light in the middle of ceiling

### Control

Motion sensor and switch control for ventilation and light


Default 5min delay auto ON / OFF, Central control

Panel system (fresh air+lighting strength control, 1 strong electric socket)

### Floor

Steel support with leveling and removable structure

## Options



### Santiago

Available by 2/3/4 seats make;  
The Santiago Lounge is perfect for pods, and the backrests can be customized higher or to the top for better soundproofing.



### Monitor

Display Size: 30"  
Suspension Displays.




### Work bench

W700 x D600MM;  
Fixed height: 750MM;  
Color: White.

## Soundinsulation Test

Frequency (Hz)	Speech level reduction D (dB)
125	15.9
250	23.7
500	25.7
1000	30.8
2000	35.5
4000	43.5
8000	47.3
Ds,a	26.7

Figure 1. Speech level reduction D against 1/1 Oct Frequency



f 1/1-Octave frequency band, in Hz D level reduction, in dB

Ds,a speech level reduction, in dB



# MEETING PLUS



## Where Ideas Flow Freely, and Collaboration Thrives

Our meeting pods redefine the collaborative space, combining efficiency with versatility for brainstorming, formal meetings or intimate discussions.

Its well-designed space accommodates multiple chairs or comfortable sofas, with standard fixed tables or motorized elevated tables. Every detail refreshes the space, energizing discussions and making collaboration more valuable.

## Exteriors Size

W2200 x D2200 x H2300MM  
W88.6" x D88.6" x H90.5"


## Fire Safety

This product conforms to all flammability requirements listed in UL962



We proudly to have the major components to be international standard qualified.





## Technical Bank

### Dimensions

Exteriors Size: W2200 x D2200 x H2300mm

Interiors Size: W2070 x D2070 x H2070mm

Pack Size: W2300 x D1350x H1400mm / 4.5m<sup>3</sup>

### Weight

NET Weight: 1030kg / Pack Weight: 1150kg

### Glass Rear

10mm tempered glass / clear

### Glass-Door

11mm laminated glass with hidden frame door

### Ventilation

420m<sup>3</sup> / h (A ventilation time of 75s)

### Wall Filler

Side A / C: Steel panel with inner PET board; Side B: 11mm laminated glass

### Hinges

Concealed top and bottom pivot hinges / Honeywell door closer, Aluminium Alloy

### Lighting

23W strip light at 2 sides; 2\*23W strip light in the middle of ceiling

### Control

Motion sensor and switch control for ventilation and light

Default 5min delay auto ON / OFF, Central control

Panel system (fresh air+lighting strength control, 1 strong electric socket)

### Floor

Steel support with leveling and removable structure

## Options



### Santiago

W1600 x D625 x H680mm;  
Solid wood frame + shaping and cutting foam;  
Conventional black metal support ; With the  
armrest(left & right type).



### Monitor

Display Size: 30"  
Suspension Displays.




### Work bench

W700 x D1300mm;  
Fixed height: 750mm;  
Color: White.

## Soundinsulation Test

Frequency (Hz)	Speech level reduction D (dB)
125	15.9
250	23.7
500	25.7
1000	30.8
2000	35.5
4000	43.5
8000	47.3
Ds,a	26.7

Figure 1. Speech level reduction D against 1/1 Oct Frequency



f 1/1-Octave frequency band, in Hz D level reduction, in dB

Ds,a speech level reduction, in dB



# COLORS

## Exterior | Stock



UC-002      Matte White

**Surface treatment**  
Powdercoat

**Surface thickness**  
30-40um

**Environmental protection level**  
Fire-proof level: A  
Formaldehyde emission: 0

## Exterior | Regular




UC-001      Matte Black



UC-011      Chinese Red



UC-014      Apricot Pink



UC-019      Pigeon Blue

## Acoustic Panel | Stock



UPC-002      Silver Grey



UPC-002      Silver Grey

**Surface treatment**  
Mineral wool

**Thickness**  
9 / 12mm

**Environmental protection level**  
Fire-proof level: B  
Sound-absorbing:  $\pm$   
Formaldehyde emission: 0


## Acoustic Panel | Regular



UPC-003      Sesame Black



UPC-004      Light Camel



UPC-006      Grayish Blue

## Seat fabric | Sudden GRADE B

**Composition**  
100% Polyester

**Abrasion**  
 $\geq 120,000s$



COM-155



STOCK-158



STOCK-21



STOCK-35



STOCK-45




STOCK-62




COM-02



COM-32



COM-38



COM-43



COM-53



COM-93



COM-080



COM-204






# Acoustic Solution System



Basic Workstation



Rectangle-01



Rectangle-02

Basic Workstation




Pentagon-01




Pentagon-02

Basic Dimensions



- A Curve connecor
- B Front screen
- C Side screen




- D Extension screen
- E X shape extension screen connector (for B2B cluster extension)
- F T shape extension screen connector (for S2S cluster extension)

Standard size  
W1120 x H1185MM  
W800 / 900 x H1185MM

W800 / 900 x H1185MM  
Standard size  
Standard size

MODULES: 24MM THK Plywood with 6mm THK PET / 20MM THK Plywood with upholstery  
B2B Workstation requires 2 cutout on the share screen

Basic Dimensions



- A Curve connecor
- B Front screen
- C Side screen


- D Extension screen
- E X shape extension screen connector (a shared connector module for extension combinations)
- F Extension tabletop options (additional tabletop shape options)

Standard size  
W800 x H1185MM  
W800 x H1185MM

W800 x H1185MM  
Standard size  
Standard size


MODULES: 24MM THK Plywood with 6mm THK PET / 20MM THK Plywood with upholstery  
B2B Workstation requires 2 cutout on the share screen

Extensions Workstation



Freely match to get more expansion combinations

Extensions Workstation



Freely match to get more expansion combinations




Basic Workstation




Triangle

Basic Dimensions



- A Curve connecor
- B Front screen
- C Side screen



- D Extension screen
- E X shape extension screen connector (a shared connector module for extension combinations)

Standard size  
W800 x H1185MM  
W800 x H1185MM  
  
W800 x H1185MM  
Standard size

MODULES: 24MM THK Plywood with 6mm THK PET / 20MM THK Plywood with upholstery  
When the workstation with extension combination, it requires 2 cutout on the share screen

Extensions Workstation



Freely match to get more expansion combinations





# Color Swatches


## UPHOLSTERY — SUDDEN GRADE B

Composition | 100% Polyester

Abrasion | ≥120,000s

				
COM-155	STOCK-158	STOCK-21	STOCK-35	STOCK-45
				
COM-38	COM-43	COM-53	STOCK-62	COM-02
				
COM-93	COM-080	COM-204	COM-32	

UPH fabrics are only available in pure color.



UPH-Pure color
















## ACOUSTIC PET

Material | 100%PET

Size | 1220\*2440\*12mm

Density | 2400g/m

Sound Absorption Test Method | AS ISO 354: 2003

			
GRS-GP-03	GRS-GP-04	GRS-GP-07	GRS-GP-09
			
GRS-GP-18	GRS-GP-22	GRS-GP-25	
			
GRS-GP-29	GRS-GP-43	GRS-GP-57	
			
GRS-GP-92	GRS-GP-93	GRS-GP-103	
			
GRS-GP-118	GRS-GP-123		





PET-Multi color



PET-Pure color





Great Wall Sofa









Great Wall Wall





Great Wall Office





Balance











Leaf












# Ceiling Series










Bella












Fan



Spar







# Partitioon








Gazelle








Hubpod






# Focus






Collar












Sweep














Sound-absorbing wall





Sound-absorbing wall



# LEARNING SPACE COLLECTION








FT002











The talent of success is nothing more than doing well whatever you do without a thought of time.



















OFFICE

The best furniture for the office is the one the user feels comfortable and at the same time, is productive in. The right seating can make a difference in your perspective towards the training of your team and in the overall satisfaction of your office. It is not only about appearance, but you need to consider size, budget and the kind of work you do. Here we present you some alternatives to start looking for the perfect chair for your training space inside your office!



VELA / p.24



MAU-C / p.26



HY-028B / p.38



HY-129B / p.70



OFFICE



HY-808B / p.76



HY-01B / p.78




HY-02B / p.80



## SCHOOL

The furniture in a classroom plays a fundamental role in the performance of a student. The environment can affect the way a person learns, for example, the comfortability of a chair is directly related to the concentration capacity of the user. When deciding on a specific piece of training furniture, we need to think about different aspects like adaptability, comfort and durability. Here are some options to help you think about your own training space in schools:



MAU-B / p.26



MITO-C / p.44



HY-228B / p.28



SCHOOL



SIDE-B / p.32



VELA / p.24



HY-128B / p.68



CONTRACT

Contract furniture is furniture specially designed for its use in public spaces, such as hotels, restaurants, hospitals or airports. It is specially manufactured with durable materials, since it has to engage with large amounts of people everyday. In **nwork** we take special care when designing contract training chairs, putting an emphasis on strength, durability and stability. We recommend you some of these alternatives, that were thought for these purposes:



HY-028B / p.38



FLISH-B / p.40



HY-252B / p.48



CONTRACT



LOLA-C / p.58



HY-800C / p.60



HY-318C / p.66



CONTENTS

Multi - Use



VELA / p.24



MAU / p.26



HY-228 / p.28



HY-818 / p.30



SIDE / p.32



ALEX / p.34



HY-821 / p.36



HY-028 / p.38



FLISH / p.40



LAMI / p. 42



MITO / p.44



HY-029 / p.46



HY-252 / p.48

Training Chair



WINNIE / p.52



TATA / p.54



HY-130 / p.56



LOLA / p.58



HY-800 / p.60



HY-815 / p.62



HY-819 / p.64



HY-318 / p.66



HY-128 / p.68



HY-129 / p.70

Mesh Chair



HY-801 / p.74



HY-808 / p.76



HY-01 / p.78



HY-02 / p.80



HY-718 / p.82



HY-518 / p.84




HY-528 / p.86



# VELA

The VELA stunning sculptural form with sinuous surfaces that merge the backrest and armrests into a single shape with a contemporary and innovative appearance come with a comfortable upholstered seat and a breathable backrest. It is an agile and versatile design with a unique cantilever metal structure.

## MESH



## COVERING MATERIAL



### VELA-A

Nestable base with flipping seat and casters.



### VELA-B

Cantilever base.



### VELA-C

Four legs base.



### VELA-D

Five-star base.





# MAU

Sit down with MAU and let its wrap-around shape support your active learning. It is designed for users' mobility, adaptability and general space configuration requirements during the learning and training process. Its innovative structure can meet the different needs of users. The structure can accommodate backrests and seats in multiple colors to build an excellent and innovative appearance.




BACK  
COLOR



GREY

COVERING  
MATERIAL



TT706

## MAU-A

Storage base.



## MAU-B

Storage base and  
rotating arm with tablet.



## MAU-C

Five way swivel base  
in plastic fitted with  
gas height adjustment  
mechanism.





# HY-228

The HY-228 series has a comfortable and breathable back support. It is a young design product suitable for interactive training spaces, bringing rich and colorful vitality to each environmental space.

## FRAME COLOR



WHITE



BLACK

## COVERING MATERIAL



TT708



TT711



TT705



OS-317



TT707



TT706



TT701

## HY-228A

Storage base.



## HY-228B

Storage base and rotating arm with tablet.





# HY-818

The HY-818 shell has a upholstered comfortable and breathable back support. This chair is a vibrant and young design created for fresh and interactive spaces. Four collections, one family. This chair has grown into a family of four legs variation for both learning and contract use.

## FRAME COLOR



WHITE



BLACK

## COVERING MATERIAL



TT708



TT711



TT705



OS-317



TT707



TT706



TT701

### HY-818HS

Four legs.



### HY-818HG

Sled base.



### HY-818BSX

Four legs with tablet.



### HY-818BGX

Sled base with tablet.





# SIDE

The SIDE was created in collaboration with some of the most talented furniture designers in the world. Its form adapts to the human body achieving ergonomic fluidity thanks to its comfortable and playful shape. SIDE expresses high technical features such as its side linking system and its unique metal structure.



## BACK COLOR



GREEN



GREY



WHITE

## CASTERS

Also available with casters.



## SEAT CUSHION

Optional Seat Cushion.



## SIDE-A

Stackable base.



## SIDE-B

Stackable base with armrests.



## SIDE-C

Stackable base with armrests and tablet.





# ALEX

The ALEX was created in collaboration with some of the most talented furniture designers in the world. Its form adapts to the human body achieving ergonomic fluidity thanks to its comfortable and playful shape. The design has grown into a family of several bases variations.

## COVERING MATERIAL



## CART

Optional Cart.



## ALEX-A

Four legs.



## ALEX-B

Sled base.



## ALEX-C

High stool sled base.



## ALEX-D

Five way swivel base fitted with gas height adjustment mechanism and armrests.



## ALEX-E

Trestle swivel base in pipe with armrest.






# HY-821

The HY-821 was created in collaboration with some of the most talented furniture designers in the world. This chair is a vibrant and young design created for fresh and interactive spaces. This product will provide life and a colorful spirit to every ambient.

## COVERING MATERIAL



YH1094-6



YH1094-5



YH1094-3



YH1094-1

HY-821A

Storage base



HY-821B

Storage base and rotating arm with tablet.



HY-821C

Storage base





# HY-028

The HY-028 is a contemporary design specifically created to fill the demanding needs of the training space. Its back pattern with color combination morph to match the high level structure which makes this chair one of the top modern contemporary designs.

## FRAME COLOR



FLASH SILVER



BLACK

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224



## ROW CONNECTOR

Optional row connector.



## CUP HOLDER

Optional cup holder.



## FOOT PAD

Optional foot pad.



## BOOK NET

Optional book net.

## HY-028A

Nestable base with casters and flipping seat.



## HY-028B

Nestable base with casters and flipping seat, with flipping armrests.



## HY-028C

Nestable base with casters and flipping seat, with flipping armrests and tablet.







# FLISH

The FLISH series is an invitation to the subtle senses. The elegant and introverted shape does not hinder the expression of its functions, and provides comfort and support for various use states.

## FRAME COLOR



WHITE



BLACK


## SEAT CUSHION

Optional seat cushion.



## BOOK NET

Optional book net.



## FLISH-A

Stackable metal legs.



## FLISH-B

Stackable metal legs with armrests.



## FLISH-C

Stackable metal legs with tablet.





# LAMI

The LAMI collection was created to fit in every situation, from an auditorium to a workplace training space. Its perforated back pattern gives this chair a light and stylish vibe, while providing breathability.

## FRAME COLOR



BLACK



GREY

## COVERING MATERIAL



360-05



360-08



360-28

## CASTERS

Available with casters.



## LAMI-A

Four legs.



## LAMI-B

Four legs with armrests.



## LAMI-D

Trestle swivel base in aluminum fitted with gas height adjustment mechanism.





# MITO

The MITO series is a brand new aesthetic solution for the learning environment, and at the same time it provides all the necessary functions for the learning environment.

## FRAME COLOR



WHITE



GREY



PINK

## COVERING MATERIAL



TT708



TT711



TT705



OS-317



TT707



TT706



TT701

### MITO-A

Low stool with storage.



### MITO-B

Chair with storage base.



### MITO-C

Chair with storage base and rotating arm with tablet.



### MITO-D

Four legs.



### MITO-E

Sled base.





# HY-029

The HY-029 ranges effortlessly into any environment with comfort and durability. The ergonomically mesh back membrane and the countered waterfall seat keep you relaxed and linked into your day.

## COVERING MATERIAL



FX363-1



FX363-2



FX363-4



FX363-15



FX363-3

## MESH



OA-2005



OA-2000



OA-2001



OA-2006

## HY-029A

Four legs base.



## HY-029B

Four legs base with casters.





# HY-252

The clean, modern design of the HY-252 creates versatility allowing this one piece stack chair to stand out in any environment. With the standard plastic chair stacking 40 high on a cart, the HY252 becomes a simple choice that is efficient, elegant and stylish.



## FRAME COLOR



WHITE



GREY



BLACK



BLUE



YELLOW

## COVERING MATERIAL



TT708



TT711



TT705



OS-317



TT707



TT706



TT701

## CART

Optional cart.



## HY-252A

Polish sled base.



## HY-252B

Polish sled base with armrests.



## HY-252C

Polish sled base with tablet.





# WINNIE

WINNIE series is a brand-new leisure training chair, based on the use of public leisure and training space, insisting on innovation, starting from these two aspects, and striving to achieve a balance between the two. At the same time, we actively explore the collision of colors, and strive to create a casual, relaxed and energetic training environment.

## COVERING MATERIAL



SF-1104



SF-1112



SF-1102



FL263-23



FL263-10



FL263-13

## WINNIE-A

Stools.



## WINNIE-B

Stools with tablet holder.





# TATA

TATA can be used in many ways, not only can it be parked in a work environment, such as a meeting room or a conference room for events... but also in many other environments, such as: hotels, hospitals, home offices, bars, restaurants, fast food and family environment.

## COLOR



White



Yellow



Blue



Green



Red

## TATA-A

Stackable base.



## TATA-B

Stackable base with armrests.



## TATA-C

Stackable base with armrests and tablet.





# HY-130

The lightweight and flexible HY-130 training chair is easy to fold, and the solid chair frame provides long-term high-performance use. It is suitable for classrooms with compact spaces or different teaching forms. The multi-function feature meets the needs of users, making the training office more handy.

## MESH



AK4201



AK4202



AK4205



AK4213



H-10

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224

## ROW CONNECTOR

Optional row connector.



## BOOK NET

Optional book net.  
(optional color)



## HY-130A

Foldable chair frame  
with flipping seat  
and casters.



## HY-130B

Foldable chair frame  
with flipping seat.



## HY-130C

Foldable chair frame  
with flipping seat and  
casters with tablet.



## HY-130D

Foldable chair frame  
with flipping seat  
and tablet.





# LOLA

The LOLA collection is a fresh and innovative collection that provides an harmonic sensation for different spaces such as classrooms, conference halls, waiting and meeting areas. Its cover made in leather place this chair among the highest quality of training furniture.

## COVERING MATERIAL



360-05



360-08



360-28

## CASTERS

available with casters.



## LOLA-A

Stackable base.



## LOLA-B

Stackable base with armrests.



## LOLA-C

Stackable base with armrests and tablet.





# HY-800

HY-800 is a symbol of color and experimental innovation because of its structure made in a single block. This attractive model was designed to impress, while also giving the comfort needed to prevent exhaustion thanks to its special flexible mechanism of the backrest. Specifically created for stacking and linking in a row.

## FRAME COLOR



White



Grey



Green



Cyan


## CART

Optional cart.



## BOOK NET

Optional book net.



## ROW CONNECTOR

Optional row connector.



## HY-800A

Stackable base.



## HY-800B

Stackable base with armrests.



## HY-800C

Stackable base with armrests and tablet.





# HY-815

It is characterized by "nesting storage and space saving", the restraint of the low-key appearance design, the extreme detail and the maverick style, give this chair a high-level sense.

## MESH



HY-8004



HY-8024



HY-8002

## COVERING MATERIAL



YH1094-6



YH1094-5



YH1094-3



YH1094-1

## ROW CONNECTOR

Optional row connector.



## HY-815B

Nestable base with armrests.



## CASTERS

available with casters.



## HY-815C

Nestable base with armrests and high-end tablet. (Optional low configuration)





# HY-819

The HY-819 series is a chair with a reversible seat and nested chairs. It is designed for professional training spaces and can keep users relaxed during long training sessions.

## COVERING MATERIAL



BLACK

## MESH



XA-2901B



XA-2909B



XA-2908



XA-2905



XA-2902B



XA-2906



XA-2907B



## TABLET

Optional high-end tablet.



## ROW CONNECTOR

Optional row connector.



## CASTERS

Available with casters.



## BOOK NET

Optional book net.

## HY-819A

Nestable base with flipping seat.



## HY-819B

Nestable base with flipping seat and armrests.



## HY-819C

Nestable base with flipping seat, armrests and tablet.





# HY-318

The HY-318 series is a nestable chair, designed for professional training spaces. This type of space requires products with high performance to enable users to maintain a relaxed state during long-term training.

## MESH



XA-2901B



XA-2909B



XA-2908



XA-2905



XA-2902B



XA-2906



XA-2907B

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224

## ROW CONNECTOR

Optional row connector.



## BOOK NET

Optional book net.



## HY-318A

Folding base.



## HY-318B

Folding base with casters.



## HY-318C

Folding base with tablet.



## HY-318D

Folding base with tablet and casters.





# HY-128

The HY-128 series is a chair with a reversible seat and nestable. It is designed for professional training spaces and can keep users relaxed during long-term training.

## MESH



AK4201



AK4202



AK4205



AK4213



H-10

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224

## ROW CONNECTOR

Optional row connector.



## BOOK NET

Optional book net.



## HY-128A

Nestable base with flipping seat.



## HY-128B

Nestable base with flipping seat and casters.



## HY-128C

Nestable base with flipping seat and tablet.



## HY-128D

Nestable base with casters, flipping seat and tablet.





# HY-129

The HY-129 fits all. The slots on the backrest guarantee breathability, promoting energy and attentiveness all day. This feature provides a nice looking style.

## COVERING MATERIAL



FX363-1



FX363-2



FX363-4



FX363-15



FX363-3

## ROW CONNECTOR

Optional row connector.



## BOOK NET

Optional book net.



## HY-129A

Nestable base.



## HY-129B

Nestable base with casters.



## HY-129C

Nestable base with tablet.



## HY-129D

Nestable base with casters and tablet.





# HY-801

The quiet design supports users with a contoured, continuous mesh backing and seat. Its lightweight frame and simple ribbon arms make for quick transitions between work styles, all while delivering personalized comfort with an integrated high adjustability mechanism.

## FRAME COLOR



BLACK



WHITE


## MESH



BLACK-10



GREY-12



GREEN-90



RED-60

## HY-801A

Low back with plastic five-star base.



## HY-801B

Low back with Aluminium five-star base.





# HY-808

The HY-808 is a classic collection inspired on the top offices in the world to match the contemporary offices of today. This chair is a symbol of elegance, modernity and comfort, thanks to its lumbar support and its optional head backrest.



## COVERING MATERIAL



BLACK

## MESH



HY-8004



HY-8024



HY-8002

## HY-808A

High back with head support.  
(Optional fixed armrest/  
3D armrest.)



## HY-808B

Medium back.  
(Optional fixed armrest/  
3D armrest.)



## HY-808C

Medium back with  
cantilever base.  
(Optional fixed armrest/  
3D armrest.)



## HY-808D

High back with head  
support and legs holder  
for napping.  
(Optional fixed armrest/  
3D armrest.)





# HY-01

The HY-01 collection evokes adaptability for every type of office thanks to its advanced floating mechanism. It is specially designed to fit comfortably to the back to work and increase productivity through the day. Headrest can be lifted and turned up and down for a comfortable fit.



## MESH



HY-80168

## COVERING MATERIAL



OS-6002



OS-6012



OS-6001



OS-6010

## HY-01A

High back with head support with 3D armrest and sliding chassis.



## HY-01B

Medium back with 3D armrest and sliding chassis.





# HY-02

The HY-02 collection is a chair with a subtle form that shows a contemporary look to every office or work space. Its adaptability will allow it to fit in every space needed. Headrest can be lifted and turned up and down for a comfortable fit.

## MESH



HY-80168

## COVERING MATERIAL



OS-6002



OS-6012



OS-6001



OS-6010

## LUMBAR SUPPORT

Optional lumbar support.



## HY-02A

High back with head support with 3D armrest.



## HY-02B

Medium back with 3D armrest.



## HY-02C

High back with head support and Fixed armrest.



## HY-02D

Medium back with Fixed armrest.





# HY-718

With ergonomic touch points for human work postures and a sporty design interpretations, the HY-718 competes at all performance levels.

## FRAME COLOR



BLACK



GREY

## MESH



AK4201



AK4202



AK4205



AK4213



H-10

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224

## HY-718A

High back with head support.



## HY-718B

Medium back.



## HY-718C

Medium back with cantilever base.



## HY-718AG

High back with head support with Aluminium five-star base.



## HY-718BG

Medium back with Aluminium five-star base.



## HY-718CG

Medium back with polish cantilever base.





# HY-518

Its bold lines and seamless surface mesh on the upper side of the backrest gives this chair a distinguish look. The slender profile, lean curves and perfectly styled back makes the HY-518 timeless choice.

## FRAME COLOR



BLACK



WHITE

## MESH



AK4201



AK4202



AK4205



AK4213



H-10

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224

## HY-518A

High back with head support.



## HY-518B

Medium back.



## HY-518C

Medium back with cantilever base.



## HY-518AG

High back with head support with Aluminium five-star base.



## HY-518BG

Medium back with Aluminium five-star base.



## HY-518CG

Medium back with polish cantilever base.






# HY-528

HY-528 series is a modern and simple office chair designed for the increasingly popular shared office space. It has a clean and simple appearance and is suitable for various office environments.

## MESH



OB6002



OB6001



OB6003

## COVERING MATERIAL



TX201



TX211



TX210



TX204



TX208



TX215



TX224

## HY-528B

Low back with five-star base.



## HY-528C

Low back with cantilever base.





The fully automatic product testing center is an indispensable part of the production process. The testing standards are compared with the BIFMA certification, and all aspects of the seat are tested to ensure that its durability, fall resistance, and impact resistance meet the standards.

Has 2 fully automatic product testing centers,  
To escort the smooth launch of each product.

